

DECLARATION OF PERFORMANCE

According Annex III of the Regulation (EU) No.305/2011

No. GABA001/2

SUPERFLUID

CE

 Unique identification code of the product-type: GABA001

EN 934-2:T3.1&T3.2, high range water reducing/superplasticizing admixture for concrete

- Intended use/uses: Admixture for plain, reinforced and prestressed concrete which is used in site-mixed, ready-mixed concrete and precast concrete
- Manufacturer: ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. Macedonia
- 4. Authorised representative:
- 5. System or systems of AVCP: System 2+
- 6a. Harmonised standard: EN 934-2:2009+A1:2012

Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued: Certificate of conformity of the factory production control 2032–CPR–08.40B





ш



7. Declared performances:

	\mathbf{O}
1	
	\geq
	r
	Ľ.
	r
	ĽĽ
	LL.,
ł	
1	
	O

Essential characteristics	Performance	Harmonised technical specification	
Chloride ion content	≤ 0,1% by mass		
Alkali content	≤ 6,5% by mass		
Corrosion behavior	Contains components only from EN 934-1:2008, Annex A.1		
Compressive strength	(at equal consistence T3.1)		
	At 1 day: Test mix ≥ 140 % of control mix	013	012
	At 28 days: Test mix ≥ 115 % of control mix	1:20	1:20
	(at equal w/c ratio T3.2)	2+A	V+6
	At 28 days: Test mix ≥ 90 % of control mix	934-2+A1:2013	200
Air content	Test mix ≤ 2 % by volume above control mix	S N	EN 934-2:2009+A1:2012
Water reduction	In test mix ≥ 12 % compared with control mix	MKC	N 93
Consistency	Increase in slump ≥ 120 mm from initial	Σ	Ē
	(30 ± 10) mm		
	30 min after the addition the consistence of the test mix shall not fall below the value of the initial consistence of the control mix		
Dangerous substances	No performance determined		

8. Appropriate technical documentation and/or specific technical documentation: The performance of the product identified above is in conformity with the set of declared

performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Skopje, 18.06.2018









CE MARKING

Annex to DoP No. GABA001/2

	((
	2032
	ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, Macedonia 08
	2032–CPR–08.40B
	EN 934-2:2009+A1:2012
	SUPERFLUID
High range wat	ter reducing/superplasticizing admixture for concrete EN 934-2:T3.1&T3.2
Chloride ion content	≤ 0,1% by mass
Alkali content	≤ 6,5% by mass
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1
Compressive strength	(at equal consistence T3.1)
	At 1 day: Test mix ≥ 140 % of control mix
	At 28 days: Test mix ≥ 115 % of control mix
	(at equal w/c ratio T3.2)
	At 28 days: Test mix ≥ 90 % of control mix
Air content	Test mix ≤ 2 % by volume above control mix
Water reduction	In test mix \ge 12 % compared with control mix
Consistency	Increase in slump ≥ 120 mm from initial (30 ± 10) mm
	30 min after the addition the consistence of the test mix shall not fall below the value of the initial consistence of the control mix
Dangerous substances	No performance determined

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH) Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

Information and during on a decision of a second se



